

List of schemes under RIDF-XIX

Sanctioned vide No. NB. Assam.SPD/6251/RIDF-XIX(FCP)/141 PSC/2013-14 Dated 10-03-2014

Sanctioned vide No. NB. Assam.SPD/2248/RIDF-XIX(24 FCP)/141 PSC/2014-15 Dated 18-09-2014

| Sl. No. | Name of Division | Name of District | Name of Scheme | Estimated Amount (Rs in lakhs) | Benefited area (Ha) | Population benefited | B.C. Ratio |
|---------|------------------|------------------|---|--------------------------------|---------------------|----------------------|------------|
| 1 | Baksa | Baksa | Protection of Tamulpur town and its adjoining areas from the erosion of river Motonga (Noona) | 250.00 | 280 | | 1.31:1 |
| 2 | Barpeta | Barpeta | Protection of B/B of river Morachowlkhowa at various locations including construction of short retirement at ch.2.20km and ch.5.30km of Kadang extension embankment and at ch.5.10km and widening at ch.3.20km of Morachowlkhowa R/B embankment | 344.00 | 2500 | 50000 | 4.02:1 |
| 3 | CID Badarpur | Cachar | R/S to dyke along R/B of rivr Barak from Ganirgram to Katigorah Pt-I (Ch 11000-13000m & 15000-18000m) | 400.00 | 2500 | 100000 | 6.31:1 |
| 4 | Dhemaji | Dhemaji | Restoration of B/dyke from Dizmore to Sonarigaon (from ch 14000 to 16800m & ch 17600 to 20500m) | 499.70 | 10000 | 150000 | 8.14:1 |
| 5 | Dhubri | Dhubri | Raising & strengthening of R/B embankment of river Aie from ch 0 to 25000m (R/S at different vulnerable reaches) Ph-I | 448.68 | 4000 | | 4.90:1 |
| 6 | Dhubri | Dhubri | Channelisation of river Gangadhar to protect Haltirghat to Laharjani and its adjoining areas under NABARD | 454.77 | 2000 | 80000 | 2.50:1 |
| 7 | Dibrugarh | Dibrugarh | Anti erosion measures to T/Dyke along the Right bank of river Buridehing from Bhekulajan to Tipling (near Panchsuti), Ph-I | 600.00 | 4015 | 15000 | 5.35:1 |
| 8 | Goalpara | Goalpara | A/E measures to protect Dudhnoi, Khara-Medhipara, Upartala, Tangabari, Sarapara, Bamunpara and its adjoining areas from the erosion of river Dudhnoi | 350.00 | 1700 | | 3.59:1 |
| 9 | Hailakandi | Hailakandi | Anti Erosion measures to Katlichara bazar (Immerssion ghat) area from the erosion of river Katakhal on its L/B (adjacent to NH-154) | 432.72 | 2200 | | 2.53:1 |
| 10 | UAID | Jorhat | Anti erosion measures against the erosion of river Brahmaputra in between existing Kakilamukh spur No.II & IV near Assam Bangia Saraswata Math. | 350.00 | 3400 | | 7.30:1 |

| | | | | | | | |
|----|---------------|------------|--|--------|---------|--------|---------|
| 11 | Majuli | Jorhat | Construction of embankment at north bank including fortification of embankment system to provide flood protection to Majuli Island (Ph-I) | 500.00 | 25000 | 80000 | 17.35:1 |
| 12 | Guwahati East | Kamrup (M) | R/S to F/E along L/B of river Kollong from Ganesh hill to Borbilla (ch.0 m to ch.6600 m) | 636.69 | 2674 | 636.69 | 5.97:1 |
| 13 | Guwahati West | Kamrup (R) | R/S to Puthimari embankment B/B from R.A. Railway line to Boromboi Ph-I | 600.00 | 1335 | | 3.95:1 |
| 14 | Guwahati East | Kamrup (M) | Anti erosion measures to protect Soalkuchi Ganesh Mandir (Bamunpara) area from the erosion of river Brahmaputra | 329.00 | 1560 | | |
| 15 | PGP | Kamrup (R) | Protection of Loharghat bazar from the erosion of Batha river | 400.00 | 1000 | | 2.17:1 |
| 16 | Karimganj | Karimganj | R/S to extension of embankment along both bank of river Longai from Chandkhira PWD bridge to Katabari ch 0-1190m R/B Longai | 400.00 | 3000 | 30000 | 1.59:1 |
| 17 | Morigaon | Morigaon | R/S to flood embankment along Kollong river from Raha to Jagi (R/B) and Azarbari to railway bridge (L/B) Ph-II | 550.00 | 3000 | 150000 | 5.96:1 |
| 18 | Nagaon | Nagaon | R/S to closing of Kopilli spill channel from Kharikhana to Jugijan Ph-II | 350.00 | 1178 | 150000 | 5.31:1 |
| 19 | Nagaon | Nagaon | R/S to F/E along R/B of Nonoi and Haria from Tulshimukh to Hariaghat | 600.00 | 2000 | | 5.66:1 |
| 20 | Nalbari | Nalbari | R/S to R/B of river Pagladia from NT Road to Bijulighat Ph-III (from ch 36500 to 41000m) | 450.00 | 1850 | | 5.45:1 |
| 21 | Sivasagar | Sivasagar | Anti erosion measures of Desang bund left bank from Akhoiphutia to Desangmukh (protection work at Ch.44 th & 48 th km) | 400.00 | 6738 | | 8.57:1 |
| 22 | Sivasagar | Sivasagar | Anti erosion measures of different reaches of Jhanji to protect Amguri town,Barbheti & Haudgaon | 300.00 | 1004 | | 5.81:1 |
| 23 | Dibrugarh | Tinsukia | R/S to T/dyke along L/B of river Tirap from Chippibasti to Moulang gaon including anti erosion measures at different reaches. | 500.00 | 650 | 7000 | 5.85:1 |
| 24 | Guwahati East | Kamrup (M) | Protection of Dharapur and Garal area down stream of Dhoptola Bazar from the erosion of river Brahmaputra from Ch 5500 to 6100m | 618.80 | 3000.00 | 618.80 | |

List of schemes under RIDF-XX

Sanctioned by Finance Deptt vide no. FEA.58/2014/20 dated 2.08.2014

Sanctioned vide No. NB.Assam.SPD/5481/RIDF-XX(FCP)/147/PSC/2014-15 dated 02.03.2015

| <i>Sl. No.</i> | <i>Name of Division</i> | <i>Name of District</i> | <i>Name of Scheme</i> | <i>Estimated Amount (Rs in lakhs)</i> | <i>Benefited area (Ha)</i> | <i>B.C. Ratio</i> |
|----------------|-------------------------|-------------------------|--|---------------------------------------|----------------------------|-------------------|
| 2 | Jorhat | Jorhat | Excavation and De-siltation of Teri Meri river from Teteliguri to Kakodonga outfall under Titabor Revenue Circle of Jorhat District | 550.00 | 4000 | 4.85:1 |
| 3 | UAID | Jorhat | Anti erosion measures against the erosion of river Brahmaputa at Up stream of Swarasath Math | 375.00 | 8800 | 3.29:1 |
| 4 | North Lakhimpur | Lakhimpur | Protection of Subansiri R/B from the erosion of river Subansiri including extension & strengthening of existing check bund at Dhunaguri area | 525.00 | 10000 | |
| 5 | Dhakuakhana | Lakhimpur | R/S to M/E along R/B of river Korha (Tenga-Am-Beel Ghilamara bund) at different reaches with A/E measures | 200.00 | 8000 | |
| 6 | Majuli | Jorhat | Const. of embankment at North bank including fortification of embankment system to provide flood protection to Majuil island, Ph-II | 600.00 | 25000 | 14.45:1 |
| 7 | Ghy-West | Kamrup (R) | A/E measures to protect d/s area of Chamaria satra from the erosion of river Jaljali | 500.00 | 750 | |
| 8 | Mangaldoi | Darrang | Ext. of Noa-nadi Embankment R/B from M.P.K- road to NH-52 including A/E measures at different reaches | 550.00 | 659 | |
| 9 | Nalbari | Nalbari | Improvement of Jaha channel Including construction of sluice at Howlightat | 475.00 | 2500 | |
| 10 | Silchar | Silchar | R/S work of left bank of river Sonai embankment from Kazidahar to Chandpur (Ch-1240m - 17395m) | 350.00 | 850 | |

| | | | | | | |
|----|---------|---------|--|--------|-----|--|
| 11 | Silchar | Silchar | A/E measures to protect Dudpatil area from the erosion of river Borak on its R/B (Gap portion) | 300.00 | 850 | |
|----|---------|---------|--|--------|-----|--|

Sanctioned vide No. NB. Assam.SPD/5481/RIDF-XX(FCP)/147 PSC/2014-15 Dated 02.03.2015

| | | | | | | |
|----|---------------|------------|---|--------|-------|--------|
| 1 | Sibsagar | Sibsagar | A/E measures of of Dikhow bund L/B from Namdang outfall to Dikhowmukh at Nakatani, Decial and Raghubari area from the erosion of river Dikhow | 760.00 | 2348 | 8.20:1 |
| 2 | Dhemaji | Dhemaji | Raising and Strengthening to Moridhal dyke from Sarukacharigaon to Sissikalghar(in between ch. 4300m and ch.14300m). | 850.00 | 8221 | |
| 3 | Nagaon | Nagaon | A/E measures to protect Bhurbandha- Bazargaon and its adjoining area (D/S of Kaliabhomora Bridge) from the erosion of river Brahmaputra | 450.00 | 25000 | 4.23:1 |
| 4 | Baksa | Baksa | Closing avulsion of Nanoi river at Gariajhar u/s of Bhutiachang steel bridge | 836.25 | 900 | 1.35:1 |
| 5 | Baksa | Baksa | Anti-erosion measures to protect different reaches from the erosion of river Baralia | 758.00 | 5000 | 1.25:1 |
| 6 | Morigaon | Morigaon | Anti-erosion work to protect Brahmaputra dyke from 69th km (Ulubari) to 78th km Borigaon | 800.00 | 8000 | 1.6:1 |
| 7 | Guwahati East | Kamrup (M) | Protection of Dharapur and Garal area D/S of Dhoptola bazar from the erosion of river Brahmaputra from Ch. 5500m to 6100m, Ph-II. | 350.00 | 1075 | 3.62:1 |
| 8 | Guwahati East | Kamrup (R) | A/E measures to protect Sualkuchi Chandrapur area from the erosion of river Brahmaputra. | 651.00 | 1600 | |
| 9 | PGP | Kamrup (R) | Strengthening of embankment along R/B of river Kulsi from Kulsi Bazar area to Bagapanighat including A/E measures. | 850.00 | 1000 | |
| 10 | Barpeta | Barpeta | Protection of Pampara, Pun-Mahachara, Kachumara, Alopai, Majerchar and its adjoining areas from the erosion of river Brahmaputra. . | 850.00 | 1925 | 3.81:1 |

| | | | | | | |
|----|-----------------|-----------------|---|--------|------|-------------|
| 11 | Dhubri | Dhubri | Training of river Champamati by Pro-Siltation measures to protect Barchara, Chikibiki, Naldoba and Bamumtila village. | 750.00 | 6659 | |
| 12 | Hailakandi | Hailakandi | R/S to dyke along L/B of Katakhal from Mahammadpur to Bishnupur. | 803.31 | 3500 | |
| 13 | C.I.D. Badarpur | Cachar | A/E measures to protect Mahadevpur area from the erosion of river Surma on its R/B near Mahadevpur BOP camp and boundary Pillar No. 1346 in the District of Cachar Ph-II(Ch. 350-700m), (international border area protection). . | 600 | 675 | |
| 14 | Hailakandi | Hailakandi | A/E measures to protect the P.W.D. Road from Kalacherra to Gudamghat at Goalipar under Sudarshanpur Part-III area from the erosion of river Katakhal on its R/B (L=500m) | 755.2 | 1350 | |
| 15 | Mangaldai | Mangaldai | R/S to Saktola ernbankment (B/B) from MPK road to RK embankment {ch 6600m to 9600m) including protection works at different reaches | 735.67 | 991 | 2.10:1 |
| 16 | Mangaldai | Mangaldai | Anti-erosion measures to protect Gadhowa Bazar and its adjoining areas from the erosion of river Tangni (Golandi) | 585.6 | 1200 | 2.83:1 |
| 17 | Barpeta | Barpeta | A/E measures to protect Paschim Moinbari area from the erosion of river Aai-Manas | 640.02 | 396 | 1.21:1 |
| 18 | Jorhat | Golaghat | Protection of Sonalee Pathar area from the erosion of river Doyang | 500 | 3000 | 0.167361111 |
| 19 | Barpeta | Barpeta | Pro-siltation measures at different reaches on both banks of river Deojara and Kaldia (Review) | 681.21 | 2677 | 2.62:1 |
| 20 | North Lakhimpur | North Lakhimpur | Raising& Strengtening of Kakoi R/B embankment from Lilabari T.G. to Kadam including A/E works(Ph-II) | 850 | 2023 | 5.91:1 |
| 21 | Guwahati West | Kamrup (R) | R/S to B/Dyke on L/B from Gumi to Kalatoli & from Kalatoli to Nagabera Ch.35 Km to 42.70Km | 985 | 3150 | |

| | | | | | | |
|----|---------------|------------|--|--------|-------|--------|
| 22 | Dibrugarh | Dibrugarh | A/E measures to Dehing bund left bank from Aghunibari to Sessughat (Protection work at 36th km) | 855.99 | 7500 | 3.57:1 |
| 23 | Guwahati East | Kamrup (M) | A/E measures to protect F/E along L/B of Kollong river from the erosion of river Kollong at different reaches in between ch.17.00km to 46.00km . | 750 | 3373 | 3.80:1 |
| 24 | Kokrajhar | Kokrajhar | A/E meausres to protect village Bamungaon Part-IV and Part-II and its adjoining areas from the erosion of river Gaurang on its L/B | 821.37 | 450 | 4.89:1 |
| 25 | Goalpara | Goalpara | A/E measures to protect Krishnai Bazar and its adjoining areas from the erosion of river Krishnai | 752.79 | 144 | 1.95:1 |
| 26 | Goalpara | Goalpara | Anti-erosion measures to protect Jaleswar Beelpara and Superivita area from the erosion of river Brahmaputra | 501.51 | 840 | 2.03:1 |
| 27 | Dibrugarh | Dibrugarh | Anti erosion measures to protect Chapakhowa town and its adjoining areas from the erosion of river Kundil (Ph-IV) | 497.47 | 1200 | |
| 28 | Dibrugarh | Dibrugarh | Anti-erosion measures to Dehing bund R/bank from Bhogamur to Sessamukh (Protection work at 10th km) | 844.81 | 10000 | 2.30:1 |
| 29 | Dhubri | Dhubri | R/S to protect the embankment of river Kaloo from Pipulbari to Diara | 391.05 | 3500 | |
| 30 | Guwahati West | Kamrup (R) | R/S to Puthimari Embankment on B/B from R.A. Railway Line to Boromboi (Ph-II) | 651.41 | 1335 | 3.95:1 |
| 31 | Nagaon | Nagaon | Protection of Bihdubi area from the erosion of river Brahmaputra | 757.65 | 20000 | 3.85:1 |
| 32 | Tezpur | Tezpur | Extension of existing protection works at U/S of defferent location and D/S from ch. 225 m to ch. 825 m of Bardikarai Bamunipam area of river Jiabharili L/Bank. | 733.5 | 1000 | 7.34:1 |
| 33 | Barpeta | Barpeta | Protection of B/B from the erosion of river Bhellengi at different reaches | 651.33 | 1850 | 5.55:1 |